




FM-20-0122 SPRINGBROOK DRAINAGE PIPE CONFLICT EXHIBIT



CODE	FROM		TO		% GRADE	SIZE AND LENGTH (L.F.)
	TOP ELEV.	OUTLET ELEV.	CODE	TOP ELEV.		
1	-	838.150	2	839.91	2.34%	147.69
2	839.91	834.594	3	838.41	2.34%	96.27
3	838.41	832.245	4	834.41	2.34%	67.04
4	834.41	830.575	5	832.35	2.34%	83.49
5	832.35	828.524	6	831.97	1.61%	19.22
6	831.97	828.115	7	832.21	1.61%	21.10
7	832.21	827.675	8	830.98	1.61%	46.60
8	830.98	826.825	9	829.54	1.61%	39.52
9	829.54	826.089	10	-	1.61%	97.09

CODE	TYPE	INSIDE DIM.	DEPTH TOP OF CASTING TO INVERT	JBS FRAME/ GRATE
1	EW	45"x29" ELL.	-	-
2	AD	60"x60" SQ.	5.32	4075
3	AD	60"x60" SQ.	6.16	4075
4	AD	60" Ø	3.84	4075
5	AD	60" Ø	3.83	4075
6	CB	36"x54" RECT.	3.86	3103-V X2
7	CB	36"x54" RECT.	4.54	3103-V
8	AD	60" Ø	4.16	4075
9	AD	60" Ø	3.45	4075
10	EW	45"x29" ELL.	-	-

EW = END WALL CB = CATCH BASIN AD = AREA DRAIN



CSR Engineering
 CSR Engineering, Inc.
 1116 Main Street
 Pleasant View, TN 37146
 P: 615.212.2389
 F: 615.246.3815
 www.csrengineers.com



PROPOSED LAYOUT
 SPRINGBROOK DRAINAGE IMPROVEMENTS
 FOR
 CITY OF WHITE HOUSE



NO.	DATE	BY	DESCRIPTION

DESIGNER **MFH**
 REVIEWER **PLC**

PROJECT **20-017**

DATE **02-16-21**

SHEET **C1**

